## What is claimed is:

- 1 A method of enhancing document transcoding, comprising steps of:
- 2 specifying one or more annotations; and
- inserting one or more selected ones of the specified annotations in an a particular
- document, thereby preparing the particular document for enhanced transcoding.
- 1 2. The method according to Claim 1, wherein the including step occurs programmatically.
  - 3. The method according to Claim 2, further comprising the step of transcoding the particular document using the inserted annotations.
  - 4. The method according to Claim 1, wherein at least one of the specified annotations is specified separately from the particular document.
- 1 5. The method according to Claim 1, wherein at least one of the specified annotations is 2 specified inline within the particular document
- 1 6. The method according to Claim 1, wherein at least one of the specified annotations
  2 requests clipping content from a document.
- 7. The method according to Claim 1, wherein at least one of the specified annotations describes changes to one or more form elements in a document.

- The method according to Claim 1, wherein at least one of the specified annotations 1 8. 2 prescribes one or more nodes to be replaced in a document.
- 1 9. The method according to Claim 1, wherein at least one of the specified annotations specifies one or more (attribute name, attribute value) pairs to be inserted into a document. 2
- 10. The method according to Claim 1, wherein at least one of the specified annotations specifies fine-grained transcoding preferences to be inserted into a document.
  - 11. The method according to Claim 10, wherein the fine-grained transcoding preferences pertain to a table in the document.
- The method according to Claim 1, wherein at least one of the specified annotations 12. includes conditional syntax stating when the at least one annotation is to be inserted into a 2 3 document.
- The method according to Claim 1, wherein at least one of the specified annotations 1 13. prescribes Hypertext Markup Language ("HTML") syntax to be inserted into a document. 2
- The method according to Claim 1, wherein at least one of the specified annotations 1 14. prescribes rendered markup language syntax to be inserted into a document. 2

- 1 15. The method according to Claim 1, wherein a location where each of the selected 2 annotations is to be inserted is specified as an attribute of that annotation.
  - 1 16. The method according to Claim 15, wherein the location is expressed using positional information that is based upon target tags in a target document.
  - 17. The method according to Claim 16, wherein the positional information enables caseinsensitive matching of text in the target document.

    The method according to Claim 16, wherein the positional information enables the
- 18. The method according to Claim 16, wherein the positional information enables the

  inserting step to operate with statically-generated document content as well as with dynamicallygenerated document content.
- 1 19. The method according to Claim 17, wherein the text is to appear as a tag in the target document.
- 1 20. The method according to Claim 17, wherein the text is to appear as an attribute value in the target document.
- 1 21. The method according to Claim 15, wherein a definition of the annotation indicates 2 whether the annotation should be inserted before or after the location.

1 22. The method according to Claim 6, wherein the at least one specified annotation further 2 specifies one or more exceptions to the clipping of the content. 23. 1 The method according to Claim 11, wherein the at least one specified annotation further specifies one or more rows and/or columns to be clipped from the tables. 2 1 24. The method according to Claim 1, wherein a definition of a particular one of the specified annotations states at least one (key, value) pair that indicates when this particular annotation is applicable. 25. The method according to Claim 1, wherein an annotation file in which at least one of the specified annotations is stored has an associated (key, value) pair that indicates when this annotation file is applicable. The method according to Claim 15, wherein the location is expressed using XPath 1 26. 2 notation. A method for annotating structured documents, comprising steps of: 1 27. receiving a request for a structured document; locating one or more annotation files which contain annotations which are pertinent to the 3 request; and

-75-

RSW920000166US1

3		inserting the pertinent annotations into the structured document, thereby creating an					
6	annota	ated document.					
1	28.	The method according to Claim 27, further comprising the steps of:					
2		applying the annotations in the annotated document, thereby creating a modified					
3	docum	nent; and					
4		transcoding the modified document, thereby creating a transcoded document.					
1 4	29.	The method according to Claim 28, further comprising the step of sending the transcoded					
	docum	nent to a device which issued the request.					
1 =	30.	A method for improved transcoding of structured documents, comprising steps of:					
2 <u>–</u>		receiving a request for a structured document;					
		locating one or more annotation files which contain annotations which are pertinent to the					
4	reques	st;					
5		applying the pertinent annotations to the structured document, thereby creating a modified					
6	docum	ocument; and					
7		transcoding the modified document, thereby creating a transcoded document.					
1	31.	A system for improved transcoding of structured documents, comprising:					
2		means for receiving a request for a structured document;					
3		means for locating one or more annotation files which contain annotations which are					

-76-

RSW920000166US1

4 pertinent	to	the	req	uest
-------------	----	-----	-----	------

5

6

7

1

means for applying the pertinent annotations to the structured document, thereby creating a modified document; and

means for transcoding the modified document, thereby creating a transcoded document.

32. A computer program product for improved transcoding of structured documents, the computer program product embodied on one or more computer-readable media and comprising: computer-readable program code means for receiving a request for a structured document; computer-readable program code means for locating one or more annotation files which contain annotations which are pertinent to the request;

computer-readable program code means for applying the pertinent annotations to the structured document, thereby creating a modified document; and

computer-readable program code means for transcoding the modified document, thereby creating a transcoded document.